

L 01516-66 FWT(d)/FWT(1)/EED-2 GW/BC

ACCESSION NR: AP5020911

UR/0006/65/000/008/0010/0014
528.517

AUTHOR: Virovets, Yu. B. ^{12, 44, 55}

36

TITLE: The improved SDD-M optical range finder ¹

B

SOURCE: Geodeziya i kartografiya, no. 8, 1965, 10-14

TOPIC TAGS: geodetic instrument, geodimeter, range finder, SDD M range finder ^{12, 44, 55}

ABSTRACT: Field tests of the SDD phased-light range finders developed in 1963 for use in the second-order surveys executed by organizations of the Main Administration of Geodesy and Cartography (GUGK) disclosed that frequent and time-consuming checks of instrumental constant corrections were necessary. This paper describes the techniques and procedures used by the author to overcome this deficiency. Features incorporated in the new model (SDD-M) included 1) design and construction of a calibration bench similar to that used with the EOD-1 precision geodimeter, which made it possible to determine the correction constant over a short line instead of the previously used long distance; 2) use of a polarizing prism in the receiver, which eliminated the migration of the floating "spot" across the surface of the photo-multiplier cathodes so that all (instead of half) of the light rays were conveyed

Card 1/2

L 01518-66

ACCESSION NR: AP5020911

to each photomultiplier, thus increasing the range by about 20%. Field investigations of the equipment, using revised observation procedures, were carried out in 1964. The results were very favorable and demonstrated that the correction constant of the range finder could be determined over a 7-m line with an error of ± 5 mm, and the number of readouts required in a single observation could be reduced to 48 (from 192) with a 1:300,000 accuracy in distance measurement. Orig. art. has: 4 tables. [ER]

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: ES, op

NO REF SOV: 001

OTHER: 000

ATD PRESS: 4088

Card 2/2

VIROVETS, Yu.B., student IV kursa

Direct method of determining the geodetic azimuth using a photoelectric technique. Trudy MIIGAIK no.50:97-101 '62.

(MIRA 16:7)

1. Kafedra astronomii, astronomo-geodezicheskiy fakul'tet
Moskovskogo instituta inzhenerov geodezii, aerofotos"ye mki i
kartografii.

(Azimuth)

(Photoelectricity)

VIROVETS, Yu.B.; DEMUSHKIN, A.I.; PRILEPIN, M.T.

Testing an experimental model of the SDD geodimeter. Geod.1
kart. no.10:8-14 O '62. (MIRA 15:12)
(Geodimeter--Testing)

VIROVLYANSKIY, G. M.

Doc Geol-Min Sci - (diss) "Principles of the formation of the structure of ore fields. On the example of arsenopyrite deposits." Moscow, 1961. 36 pp; (Ministry of Geology and Mineral Resources Conservation, USSR, All-Union Scientific Research Geological Inst "VSEGEI"); 150 copies; price not given; list of author's works at end of text (12 entries); (KL, 5-61 sup, 179)

VIROVLYANSKIY, G.M.; BLAGODETELEVA, Yu.N.

New data on the structure of the Khibiny apatite deposits. Dokl.
AN SSSR 154 no.1:94-97 Ja'64. (MIRA 17:2)

1. Gosudarstvennyy nauchno-issledovatel'skiy institut gornokhi-
micheskogo syr'ya. Predstavleno akademikom V.I. Smirnovym.

VIROVLYANSKIY, G. M.

15-57-7-9526

Translation from: Referativnyy zhurnal, Geologiya, 1957, Nr 7,
pp 126-127 (USSR)

AUTHOR: Virovlyanskiy, G. M.

TITLE: Intrusion of Dikes and Formation of Ores in Hydro-
thermal Deposits (O tektonicheskikh usloviyakh
vnedreniya dayek i formirovaniya rud v gidrotermal'-
nykh mestorozhdeniyakh)

PERIODICAL: Sov. geologiya, 1956, sb. Nr 50, pp 67-89.

ABSTRACT: The author questions the views of F. I. Vol'fson that
vein matrix is intruded into host rock under conditions
of expansion, while ore veins are formed under con-
ditions of compression, and that the expansion during
intrusion of matrix is the result of compression
oriented parallel to the direction of the matrix. He
analyzes the process of opening of fissures in the
period of intrusion of the matrix on the basis of
numerous examples and extensive statistical data.

Card 1/3 He then describes: 1) the form and arrangement of

15-57-7-9626

Intrusion of Dikes and Formation of Ores (Cont.)

ore-containing fissures, 2) the mineral filling typical of a large number of hydrothermal deposits, which reflects relatively free conditions of formation of mineral substance; 3) the series of movements occurring in fissures during the period of their filling. These movements, in the majority of cases, correspond to faults which develop as a result of expansion of the earth's crust. The presence in ore deposits of not one but a number of differently oriented systems of dikes of matrixes and mineral veins makes it impossible to consider the opening of fissures to be the result of parallel compression. The opening of fissures and formation of dikes and mineral veins occur under conditions of two-directional expansion, usually with one direction predominating. Expansion in the second direction has no independent significance and represents the result of the original forces. In no case does the deformation occur in a single plane. Shearing stresses acting during the opening of fissures and during formation in them of mineral bodies are the cause of faulting. The deformation has a characteristic orientation--the axis of elongation is normal to the direction of the best developed system of mineral bodies, while the axis of shorten-

Card 2/3

15-57-7-9626

• Intrusion of Dikes and Formation of Ores (Cont.)

ing is usually vertical. The conditions of formation of matrix dikes and mineral veins of hydrothermal origin are similar, and the tectonic factors typical for the formation of fissures during various stages of filling have much in common. However, this does not mean that these stages are a continuation of each other. The structures of ore deposits show that stages of expansion are usually separated by a period of compression of the given sector of the earth's crust. Fault formation is renewed in the period of ore deposition and is interrupted (possibly repeatedly) in the post-ore-forming period. This is indicated by the numerous small upthrust and overthrust displacements in various ore deposits.

Card 3/3

I. V. Kunayev

VIROVLYANSKIY, G.M.; BLAGODETELEVA, Yu.N.

Postmagmatic tectonics of the Khibiny anatite deposit and its
significance for prospecting. Sov.geol. 8 no.2:45-59 P '65.
(MIRA 18:12)

1. Gosudarstvennyy nauchno-issledovatel'skiy institut gorno-
khimicheskogo syr'ya.

VIROVLYANSKIY, G.M.

CA

Quartz from the Pakem River (western Tyan Shan).
G. M. Virovlyanskiy. *Mém. soc. russe mineral.* 67,
286-306 (1938); *Khim. Referat. Zhur.* 1939, No. 1, 22.
Quartz, hematite, epidote, chlorite and calcite were found
in the veins. Four generations of quartz are described.
On the basis of paragenetic relationships, character of the
doublers, virgals and habitus of the crystals of quartz, V.
makes an attempt to det. the temp. limits of the crystals
of the described quartz. Combining his conclusions with
mineralogical schemes of Maclach and Kall he refers the
1st obelisk-like generation to 310-30° and considers that
in this scheme it will occupy an independent place as a
new intermediate type. For the 4th generation the lower
temp. limit is 180°.
W. R. Henn

ASB SLA METALLURGICAL LITERATURE CLASSIFICATION

VIRGILYANSKIY, G M

The mineralogetic importance of vicinal formations on the faces of quartz. G. M. Sidorovskii, *Mem. on russ. mineral.* 67, 146 (1929); *Khm. Referat Zhur.* 1930, No. 6, 22. - A study of the vicinals on the faces of the basic rhombohedron of quartz crystals did not indicate their mineralogetic importance as proposed by G. Kulb (cf. C. A. 29, 35719). W. R. Hess

ASD-324 METALLURGICAL LITERATURE CLASSIFICATION

CIA-RDP86-00513R001860020016-7"

VIROVTSIA, A.M., prof.; MAUYERER, V.G., inzh.; TROITSKIY, B.V., inzh.;
IVANOV, V.F., inzh.; PETROVA, Ye.F., inzh.; BARVENKO, Ye.I.,
inzh.; SHISHKIN, V.N., inzh.

[Tables of Gauss-Kruger coordinates for latitudes 32° - 80°
at 5' intervals and for longitudes 0° - 6° at $7\frac{1}{2}'$ intervals
and tables of side and area dimensions of trapezoids in to-
pographic surveys; Krasovskii's ellipsoid] Tablitsy koordinat
Gausa-Kriugera dlia shirot ot 32° do 80° cherez 5' i dlia
dolgot ot 0° do 6° cherez $7\frac{1}{2}'$ i tablitsy razmerov ramok i
ploschadei trapetsii topograficheskikh s"emok ellipsoid
Krasovskogo. 2. izd., ispr. i dop. Moskva, Izd-vo geodez.
lit-ry, 1961. 512 p. (MIRA 15:9)

1. Russia (1923- U.S.S.R.) Glavnoye upravleniye geodezii i
kartografii.

(Coordinates)

26393
S/032/51/027/008/018/020
B124/B215

Device for measuring...

The shields are adjusted by guides 16 and fixed in position by stop screws 17. The probes, made of pointed molybdenum or tungsten wire are 27 mm in length and 0.5 mm in diameter, and are insulated from the shields by lundum tubes. Tantalum plates press the probes onto the specimen. The whole system is placed in a molybdenum glass envelope. The current passing through the specimen is measured by a УТТ-6 (UTT-6) transformer and an ЭНА, АСТ (ELA, AST) ammeter. Amperage is controlled by a ПН-20 (PNO-20) autotransformer. The voltage drop at the specimen is controlled with an ЛВ-9-2 (LV-9-2) tube voltmeter, and its temperature is regulated by a tungsten-rhenium thermocouple and an МП(МР) micropyrometer. The device may be used for measuring the resistivity of specimens 10 mm long and 4 mm in diameter. The error of measurement is 5.2 %. The results obtained for titanium carbide (linear dependence of resistivity on temperature) are in good agreement with those obtained by N. V. Kolomojets, V. S. Neshpor, G. V. Samsonov, and S. A. Semenkovich (Ref. 2: Zhurnal tekhnicheskoy fiziki, 28, 1282 (1952)). There are 3 figures and 2 references: 1 Soviet-bloc and 1 non-Soviet-bloc. The reference to English-language publications reads as follows: F. Glaser, D. Moskowitz, Powder Met. Bull. 6, 178 (1953).

Card 2/4

26393
S/032/61/027/008/018/020
B124/B215

Device for measuring...

ASSOCIATION: Institut metallokeramiki i spetsial'nykh splavov Akademii
nauk USSR (Institute of Powder Metallurgy and Special
Alloys of the Academy of Sciences UkrSSR)

Card 3/4

21

Ca

Efficiency of coke ovens. A. A. ABRAMIN AND R. V. VIKHOREV. *Thermal* 1931. No. 12, 48-62. Methods for detg. coke-oven efficiency are discussed. The following factors being considered: (1) consumption of coke-oven gas for heating in cu. m./hr.; (2) heat value of gas in cal./cu. m.; (3) production in tons of coal/hr.; (4) amt. of product of combustion of gas per cu. m. of coke-oven gas; (5) heat value of product of combustion leaving regenerator; (6) amt. of air required for burning 1 cu. m. gas; (7) heat content of 1 cu. m. of air entering regenerator; (8) sensible heat per cu. m. of coke-oven gas; (9) heat losses due to radiation through the walls of the oven in cal./hr. Formulas, tables and chem. analyses of gases are given. S. I. MADORSKY

ASM-A Metallurgical Literature Classification


Author	Title	Year	Volume	Page	Language	Notes
A. A. ABRAMIN AND R. V. VIKHOREV	Efficiency of coke ovens	1931	No. 12	48-62	Thermal	

CP

Controlling the heating of Becker coke ovens. R. V. Virgubius. *Coke and Chem.* (U. S. S. R.) 1934, No. 3, 27.
Data are given representing the results of the controlling of the heating of the Becker coke ovens at the Mannesmann plant. A. Tested

ASAC 31A METALLURGICAL LITERATURE CLASSIFICATION

8000 801127
801127 ONE ONE 151



21

Mathematical investigation of the velocity of coking of the coal "coke." B. V. Vlasov, *Akadm. Tsvet. Topika* 7, 664-6 (1937).—The following formula for the av. coking velocity was derived: $dx/dt = [\lambda(\theta_0 - \theta_x)w]/\gamma g$, where λ is the thermal cond. of coke, θ_x and θ_0 are the temps. of coke formation and of the furnace wall, resp., $2l$ is the width of the chamber, γ is mass in kg. per cu. m., and g is the heat of coke formation.

A. A. Podgorny

1ST AND 2ND ORDERS										3RD AND 4TH ORDERS									
PROCESSES AND PROPERTIES INDEX																			
<div style="position: relative;"> <div style="position: absolute; top: 10px; left: 10px; font-size: 2em;">A</div> <div style="position: absolute; top: 10px; right: 10px; font-size: 1.5em;">21</div> <div style="position: absolute; top: 50px; left: 50px; width: 80%; height: 100%;"> <p>Thermal phenomena on heating a thin homogeneous layer of coal. E. V. Virozhub. <i>Coke and Chem.</i> (U. S. S. R.) 11, No. 5, 17-21(1941); <i>Chem. Zentr.</i> 1943, II, 198. Various coals were heated in thin layers to investigate the relation between the formation of cracks in the coke, the pressure on the brickwork of the coke oven and the rate of temp. rise in coal. The rate of heating is effective only within definite temp. limits, which vary for different coals and are dependent on the fusion point. A certain amt. of heat is used during fusion, and this amt. is greater for coals from geol. younger deposits than for those from older deposits. No definite pressure max. was observed with coals from younger geol. deposits, since they show no max. of the fusion temp. or have such wide limits of the fusion temp. that no pressure max. can occur. For other coals the regions of fusion and solidification or the liquid state and crust formation lie so close together that the gas flow is restricted and pressure results.</p> <p style="text-align: right;">H. S.</p> </div> </div>																			
ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION																			
1ST ORDER										2ND ORDER									
1ST ORDER										2ND ORDER									

21

*Method for the calculation of the temperature of the flame in heating with blast-furnace gas. E. V. Yurash, *Coke and Chem. (U. S. S. R.)* 9, No. 0, 10-21 (1939); *Chem. Zentr.* 1940, I, 3056.—A new method is developed for the calcul. of the temp. of the flame in the heating of coke ovens with blast-furnace gas. By the use of this method it is possible to appraise those factors which affect the productive capacity of coke ovens so heated.*

M. G. Moore

ASB-SLA METALLURGICAL LITERATURE CLASSIFICATION

62-11137-012

62-11137-012

[illegible]

VIROZUB, I.D., kand. med.nauk (Donetsk)

Treatment of spinal traumas combined with injury of the spinal
cord during the acute period. Vop. neirokhir. 27 no.4:28-31
Jl-Ag'63 (MIRA 17:2)

1. Neyrokhirurgicheskaya klinika nauchno-issledovatel'skogo
instituta travmatologii i ortopedii (dir. - kand. med. nauk
T.A. Revenko).

VIROZUB, I.D.

Characteristics of medulloblastomas of the cerebellum. Zhur.
nerv. psikh. 60 no. 4:434-439 '60. (MIRA 14:4)

1. Ukrainskiy neyrokhirurgicheskiy institut (dir. - prof. A.I.
Arutyunov) i Stalinskiy nauchno-issledovatel'skiy institut travmatologii
i ortopedii (dir. - kand.med.nauk T.A. Revenko).
(CEREBELLUM--TUMORS)

USSR / General Problems of Pathology. Tumors.
Comparative Oncology. Tumors in Humans.

U-7

Abs Jour: Ref Zhur-Biol., No 15, 1958, 70897.

Author : Chepkiy L. P., ~~Virozub I. D.~~
Inst : Dnepropetrovsk Medical Institute.
Title : Disturbance of Thyroid Gland Function and of the
Cortical-Subcortical Neurodynamics in Cerebral
Tumors.

Orig Pub: Sb. nauchn. tr. Dnepropetr. med. in-ta, 1957, 3,
282-285.

Abstract: A study was made of the functional condition of
the thyroid gland by means of J131 on 33 patients
with super-tentorial tumors with varying localiza-
tion and structure. The data obtained was compared
with the results of an investigation of the Higher
Nervous Activity. It was established that a

Card 1/3

USSR / General Problems of Pathology. Tumors.
Comparative Oncology. Tumors in Humans.

U-7

Abs Jour: Ref Zhur-Biol., No 15, 1958, 70897.

Abstract: definite correlation existed between the extent of a disturbance of cortico-subcortical neurodynamics, and the degree of a disturbance of the thyroid gland manifested in patients with cerebral tumors. Patients with malignant, and rarely with benign tumors, with manifestations of general cerebral symptoms, and marked depression of the cortical-subcortical neurodynamics and thyroid gland function, was observed. In malignant intracerebral tumors (multiform spongioblastoma) disturbances in the thyroid gland function and of the cortico-subcortical neurodynamics was pronounced. In benign tumors, these changes are less clearly manifested. When the tumors are localized in the mesencephalic and diencephalic area, a pronounced

Card 2/3

29

USSR / General Problems of Pathology. Tumors.
Comparative Oncology. Tumors in Humans.

U-7

Abs Jour: Ref Zhur-Biol., No 15, 1958, 70897.

Abstract: disturbance of the cortical-subcortical neurodynamics and the thyroid gland function were observed, although the conditioned reflex activity was retained. A diffuse depression of all the sectors of the Central Nervous System, accompanied by depression of the thyroid gland function is an indication of a poor prognosis.

Card 3/3

VIROZUB, I.D., KOROL', A.P.

Disorders of certain unconditioned reflex reactions in tumors of the posterior cranial fossa [with summary in French]. Zhur.nevr. i psikh. 58 no.5:550-554 '58 (MIRA 11:7)

1. Ukrainskiy nauchno-issledovatel'skiy institut neyrokhirurgii (dir. - prof. A.I. Arutyunov), Kiev.

(REFLEXES,

unconditioned, in tumors of posterior cranial fossa (Rus))

(BRAIN NEOPLASMS, physiology

posterior cranial fossa, unconditioned reflex changes (Rus))

VIROZUB, I.D., YANOVSKIY, G.I. (Kiyev)

"Gunshot wounds of the skull and brain; surgical anatomy and operative surgery" by E.M. Margorin. Reviewed by I.D. Virozub, G.I. Ianovskii. Nov.khir.arkh. no.2:124-126 Mr-Apr '58 (MIRA 11:6)
(HEAD--WOUNDS AND INJURIES)
(MARGORIN, E.M.)

1. VIROZUB, I. D. and SERGIYENKO, T. M.
2. USSR (600)
4. Brain
7. Method of progressive increase of intracranial pressure in continuous experiment in animals. Vop.neirokhir. 16 no. 6, 1952.

9. Monthly Lists of Russian Accessions, Librar/of Congress, March 1953, Unclassified.

VIROZUB, I.D.

Focal and general brain reactions in tumors of the cerebellum of
varying histological structure. Probl.neirokhir. 4:49-58 '59.

(MIRA 13:11)

(CEREBELLUM--TUMORS)

VIROZUB, I.V.

68-9-5/15

AUTHOR: Virozub, I.V. (Cand.Tech.Sc.)

TITLE: Stability of the Hydraulic and Thermal Conditions of a Heating System for Coke Ovens (Ustoychivost' gidravlichesko i teplovogo rezhimov otopitel'noy sistemy koksovykh pechey)

PERIODICAL: Koks i Khimiya, 1957, Nr 9, pp.22-28 (USSR)

ABSTRACT: The control of heating coke ovens by the amount of heat and air supplied and hydraulic conditions of the heating system are discussed. Calculations of the relationship of pressure conditions at various points of the heating system are carried out. The relation of air and gas consumption and the calorific value of gas is shown in Fig.2 and the dependence of the quantity of combustion products on the calorific value of gas (at excess air 1.15) in Fig.3. There are 3 figures.

ASSOCIATION: UKhIN.

AVAILABLE: Library of Congress.

Card 1/1

PHASE I BOOK EXPLOITATION SOV/5376

Akademiya nauk Ukrayins'koyi RSR. Kyiv. Instytut teploenerhetyky.

Teploobmin ta hidrodynamika (Heat Exchange and Hydrodynamics) Kyiv, Vydavnytstvo AN UkrSSR, 1959. 76 p. (Series: Its: Zbirnyk prats', vyp. 16) 1,000 copies printed.

Sponsoring Agency: Akademiya nauk Ukrayins'koyi RSR. Instytut teploenerhetyky.

Editorial Board: Resp. Secretary: A. Sh. Dorfman, Candidate of Technical Sciences, O. S. Yeremenko, Candidate of Technical Sciences, O. O. Kremn'ov, Candidate of Technical Sciences, V. I. Kuznetsov, Candidate of Technical Sciences, P. I. Lavrov, Candidate of Technical Sciences, M. M. Nazarchuk, Candidate of Technical Sciences, V. I. Tolubyns'kyi, Corresponding Member, Academy of Sciences UkrSSR, I. T. Shvets', Academician, Academy of Sciences UkrSSR. Resp. Ed.: H. M. Shchoholev, Candidate of Technical Sciences; Ed.: I. V. Kisina; Tech. Ed.: V. I. Yurchyshyn.

Card-1/4

Heat Exchange (Cont.)

SOV/5376

PURPOSE : This collection of articles is intended for scientific workers and engineers concerned with the construction of turbines.

COVERAGE: The booklet, published in Ukrainian, contains 10 articles dealing with problems of improving gas turbines. Results of investigations of processes in the combustion chamber and of heat-exchange processes taking place in turbine components are given. Aerodynamic problems of cascades of turbine blades and of tubes are discussed and theoretical research in boundary-layer problems is considered. Each article is followed by a brief résumé in Russian. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

Shvets', I. T., and V. O. Khrystych. Experimental Investigations of Basic Characteristics of the Evaporation-Type Combustion Chambers of Gas Turbines 3

Virozub, I. O. Solution of Equations of the Laminar Boundary
Card 2/4

Heat Exchange (Cont.)

SOV/5376

Layer by Generalizing the Kochin-Loytsyans'kyy Method for the Case With the Presence of Heat Exchange	13
Nazarchuk, M. M. On Isothermal Flow of Gas in Pipes	23
Horbatyy, Yu. P., A. Sh. Dorfman, N. Y. Pol'skyy, and M. I. Saykovs'kyy. Aerodynamic Investigations of Models of Gas Turbine Nozzles	25
Stradoms'kyy, M. V. Investigations of Mixing Processes in Combustion Chambers of Gas Turbines Fueled With Natural Gas	35
Borovs'kyy, V. R. Investigations of the Drying Process of Silk Thread	41
Minyaylenko, M. O. Simplified Methods for Calculating the Temperature Field and Maximum Peripheral Stress in a Cooled Disk of a Turbine Under Starting Conditions	53

Card 3/4

VIROZUB, I.V.; BELETSKAYA, A.F.; FONGMARENKO, M.S.

Letters to the editors. *Koks i Khim.* no.7:52-59 '65.

(MIRA 18:8)

1. Ukrainskiy nauchno-issledovatel'skiy uglekhimicheskiy institut.

U1K2001 1 7

68-11-6/11

AUTHORS: Virozub, I.V., Voloshin, A.I. and Shvarts, S.A.,
Candidates of Technical Sciences.

TITLE: Improvement of Thermal and Technological Operating Conditions
of Coke Ovens (Sovershenstvovaniye teplovogo i tekhnolog-
icheskogo rezhimov koksovykh pechey)

PERIODICAL: Koks i Khimiya, 1957, No.11, pp. 29 - 35 (USSR)

ABSTRACT: Review in general terms of the improvements in coking
practice during the last 40 years.

There are 4 figures.

ASSOCIATION: UKhIN

AVAILABLE: Library of Congress

Card 1/1

AUTHORS: Virozub, I.V., Voloshin, A.I., Kazmina, V.V., and Sherman, M.Ya. 68-1-5/22

TITLE: The Control of Thermal Conditions of Coke Ovens (Regulirovaniye teplovogo rezhima koksovykh pechey)

PERIODICAL: Koks i Khimiya, 1958, No.1, pp. 17 - 24 (USSR)

ABSTRACT: Some relationships between various parameters affecting thermal conditions of coke ovens are discussed in order to indicate the basis for choosing some parameters as sources of impulses for the automatic control of the coke oven heating system. UKhIN and TsLA (Central Laboratory of Automation) proposed a system of automatic control of thermal conditions of coke ovens which secures a constant supply of heat and a constant excess of air coinciding at a constant temperature of air in the tunnel, with a constant suction at the top of the regenerators in the ascending stream. The proposed system is described in some detail (Figs. 1 and 2). It was installed on the No. 1 battery of the Zaporozhsk Coke Oven Works (Zaporozh'ye koksokhimicheskiy zavod) and operated for about two years with satisfactory results. In addition to the described method of direct control of the supply of heat, three other indirect methods were installed and operated in the Soviet Union: 1) a scheme proposed by V.G. Mosyakov. The

Card1/3

68-1-5/22

The Control of Thermal Conditions of Coke Ovens.

control of gas supply is based on the stability of suction at the top of the gas regenerators on the ascending stream and that of the draught on the descending stream. The scheme was installed on the Zaporozhsk Coke Oven Works; its operation is described in Koks i Khimiya, 1958, No.1, pp. 25-29. 2) On the Magnitogorsk Metallurgical Combine (Magnitogorskiy Metallurgicheskiy Kombinat) an automatic control of heating coke ovens is in operation. This is based on the maintenance of a constant suction in the waste flues mains on both sides of the battery and a constant content of oxygen in the combustion products by varying the addition of coke oven gas (ovens are heated with a mixture of coke oven and blast furnace gas). The method is described in this issue, pp. 30-35. 3) On the Zhdanovsk Coke Oven Works (Zhdanov koksokhimicheskiy zavod, the method of controlling the supply of air for combustion proposed by D.A. Amstislavskiy was based on the maintenance of constant suction at the top of the regenerators on the ascending stream. With this method, variations of the coefficient of excess air during the period between reverses are removed. The deficiency of the method is that air supply changes with changes in air temperature and a low accuracy of the control due to low suction

Card2/3

.The Control of Thermal Conditions of Coke Ovens.

68-1-5/22

at the top of the regenerators. This method with some modifications was used for the above described TsLA-UKhIN method. In conclusion, the authors point out that further studies of the methods used is necessary in order to choose the best elements from each method for the development of a scheme for complete automation of heating coke ovens.

There are 4 figures and 6 Slavic references.

ASSOCIATIONS: UKhIN and TsLA

AVAILABLE: Library of Congress
Card 3/3

VOLOSHIN, A.I.; VIROZUB, I.V.; KAZMINA, V.V.

Heat consumption in coking and ways for its reduction. Koks i khim.
no.10:20-24 '62. (MIRA 16:9)

1. Ukrainskiy uglekhimicheskiy institut.
(Coke ovens)

VIROZUB, I.V.

VIROZUB, I.V., kand.tekhn.nauk

Stability of the hydraulic and thermal conditions of the heating
system of coke ovens. Koks i khim.no.9:22-28 '57. (MIRA 10:12)

1. Ukrainskiy uglekhimicheskiy institut.
(Coke ovens)

VIROZUB, I.V.; VOLOSHIN, A.I.; LGALOV, K.I.

Heat expended for coking. Koks i khim. no.5:23-29 '60.
(MIRA 13:7)

1. Ukrainskiy uglekhimicheskiy institut (for Virozub, Voloshin).
2. Koksokhimstantsiya (for Lgalov).
(Coal—Carbonization)

6. 1957, 10. 10
VIROZUB, I.V., kand. tekhn. nauk; VOLOSHIN, A.I., kand. tekhn. nauk; SHVARTS,
S.A., kand. tekhn. nauk.

Improving the heating and operating of coke ovens. Koks i khim.
no.11:29-35 '57. (MIRA 10:12)

1. Khar'kovskiy nauchno-issledovatel'skiy uglekhimicheskiy institut.
(Coke ovens)

U. Rozub, I. U.

5(2)

PHASE I BOOK EXPLORATION 80V/2127

Ekzozhimicheskiye proizvedeniya; abnormalk statoy (By-Product Cooking Industry; Collection of Articles) Moscow, Metallurgizdat, 1959. 260 p. 2,500 copies printed.

Ed.: B. S. Pillipotti
P. O. Talent, Tenn.

PURPOSE: This book is intended for engineers and technicians in the by-product seeking industry and in scientific research institutes. The book may also be used by students in secondary and higher technical schools.

NOTES. The articles in this collection on the by-product socking industry appeared originally either in the *Journal of Polymer Science* (C and Chemistry) or in other publications during 1974-1983. This book contains the development of raw-material reserves for socking, technology of the manufacture of socks, quality of socks and further enlargement of the number of types of socks and products obtained. Some articles are devoted to new procedures for the manufacture of socks, the use of new materials for socking, and to the mechanism and controlling cells, new methods for the manufacture of socks and the mechanism of socking and socking processes. References accompany individual articles.

GRANNEY, L. C., i. N. Lashovky, and N. O. Pal'govin. [RUSSIAN] The
Basic Principle for Preparation of Coals for Cooking by Graining

Evseyev, V. Ya. [Candidate of Technical Sciences, UzbSSR]. Beneficiation of Coking Coals in Karry Media

Kondratyev, I. S. (Vernikoloboguchenskye), and A. Z. Yarovskiy [Izv. AN SSSR].
Centrifugal Beneficiation of Coking Coals

Edmund A. Y. Yau. (Goylen SUR). Constancy of the Quality Indices of Mart-Purpos Coke

Pyrolysis, I-3, and M. K. Kulakov (Oilyrocks). Progress in Coal-
Oven Construction

PILLIGREY, J. D. [Candidates of Technical Sciences, Gosplan 1933]. Improvement in the Operation and Lengthening of the Life of Coke Ovens. 119

Members.—Dr. Y. A. I. Voloshin, and S. A. Kurata. [Candidates of Technical Sciences, U.S.S.R.]. Improvement of the Heating and Technological Regimes of Cold Presses

Perkins, L. J., L. J. Johnson, and M. A. Robertson. [1960]. Ecology of the Barren Crabs with the *Callinectes* [Pinnidae].

James, B. E., Douglas Myers), Partial Mechanization and Automation in Machine Wrecks

107

Langthorne, R. A. [Metallurgist], and S. A. Samsonov [Coryman Mine] Pierre-Oden and its use in the West Province

Vol. 9, No. 4 [Magnitograficheskii kombinat - Magnitograficheskii kombinat]. Methods of Increasing the 60-80% Fraction of Metallurgical Coke

(Kryzhanovskiy, M. S., and I. M. Kozlovskiy [1961]). Prospects of the development of the USSR chemical industry in the 1960's. Institute of the Chemical Industry in the USSR. Moscow, 1962.

... , in the USSR, during 1974-1985

ATLANTA: LIBRARY OF CONGRESS

✓ 4 pages

20-30-90
20/10/90

APPROVED FOR RELEASE: 09/01/2001

CIA-RDP86-00513R001860020016-7"

VIROZUB, I. V.

PHASE I

TREASURE ISLAND BIBLIOGRAPHIC REPORT

AID 151 - I

BOOK

Call No.: TP336.V38

Authors: VIROZUB, I. V., TAKHTAMYSHEV, E. Ya., and TSIPEROVICH, M. V.

Full Title: MECHANICAL EQUIPMENT IN COKE-CHEMICAL PLANTS

Transliterated Title: Mekhanicheskoye oborudovaniye kokso-khimicheskikh zavodov

Publishing Data

Originating Agency: None

Publishing House: State Scientific and Technical Publishing House of Literature on Ferrous and Nonferrous Metallurgy.

Date: 1952

No. pp.: 516

No. of copies: 3,000

Editorial Staff

Editor: Kvasha, A. S.

Editor-in-Chief: None

Tech. Ed.: None

Appraisers: Kvasha, A. S.
and Shepelev, I. G.

Text Data

Coverage: The authors describe basic equipments and technological processes for the production and enrichment of coke, and give the analytical expressions for computation of essential data on various intermediate processes such as crushing, enrichment, dust removal, washing, settling, filtration, and drying. Formulas for computation of stresses in different chemical apparatuses and the table of materials resistant to chemical action are also given. The last part of the book contains

1/2

Mekhanicheskoye oborudovaniye kokso-khimicheskikh zavodov

AID 151 - I

a description of mechanical equipment for the repair shop.

The analytical approach in the development of chemical process and in design of equipment may be of interest for specific purposes,

Purpose: A textbook for students of the technical colleges and schools, and for factory personnel.

Facilities: Professors Doroshenko, Voyslav, Korzukhin and Gus'kov developed the theory of enrichment of coke, and Professor Doctors V. P. Lyashchenko and L. B. Levenson the theory of enriching equipment and crushers. Prof. G. O. Chechot organized scientific research institutes for the study of the mechanical processing of minerals. N. M. Zhavoronkov, M. D. Kuznetsov, M. E. Posin, K. N. Shabalin and others worked on the theory of chemical processes in the scrubber and on the process of absorption. Tregubov, Obryadchikov, Khozryakov, Gel'perin gradually developed the theory of rectification apparatus. Academician M. V. Kirpichev introduced the theory of design of the experimental models of heat exchangers used in the production of coke. The new coke industry was built not only in the southern part of the USSR but also in the eastern, the Ural-Kuzbass.

No. of Russian and Slavic References: 21 (from 1937 to 1950)

Available: Library of Congress.

68-9-5/15

AUTHOR: Virozub, I.V. (Cand.Tech.Sc.)

TITLE: Stability of the Hydraulic and Thermal Conditions of a Heating System for Coke Ovens (Ustoychivost' gidravlicheskogo i teplovogo rezhimov otopitel'noy sistemy koksovykh pechey)

PERIODICAL: Koks i Khimiya, 1957, Nr 9, pp.22-28 (USSR)

ABSTRACT: The control of heating coke ovens by the amount of heat and air supplied and hydraulic conditions of the heating system are discussed. Calculations of the relationship of pressure conditions at various points of the heating system are carried out. The relation of air and gas consumption and the calorific value of gas is shown in Fig.2 and the dependence of the quantity of combustion products on the calorific value of gas (at excess air 1.15) in Fig.3. There are 3 figures.

ASSOCIATION: UKhIN.

AVAILABLE: Library of Congress.

Card 1/1

S/262/62/000/004/024/024
1014/1252

AUTHOR: Eremenko, O. S., Horbatyy, Yu. P. and Virozub, I. O. ,

TITLE: On radial equilibrium in a turbine rotor

PERIODICAL: Referativnyy zhurnal, Silovyye ustanovki, no. 4, 1962, 89, abstract 42.4.562. "Collection
prats'. in-ta teploenerg" AN URSR, 1961, no. 22, 55-59

TEXT: An approximate method for determination of flow parameters in a turbine rotor is considered with centrifugal and Coriolis accelerations taken into account. It was assumed that the liquid is ideal and non-compressible, the flow non-turbulent in absolute motion, and the cascade cylindrical. Approximate formulas were obtained for the dependence of velocity and pressure on the radius of the inter-blade channel section, and on the distance along the turbine axis.

[Abstracter's note: Complete translation.]

Card 1/1

VIROZUB, Ioel' Vul'fovich; KUSTOV, Boris Iosifovich [deceased]; SHVARTS, S.A., otv.red.; SIHYAVSKAYA, Ye.K., red.izd-va; ANDREYEV, S.P., tekhn.red.

[Heat processes in coke ovens; heat engineering and the technology of the coking process] Teplovoi rezhim koksovykh pechei; teplo-tekhnika i tekhnologiya protsessov koksovaniia. Khar'kov, Gos. nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1960. 237 p. (MIRA 13:9)
(Coke ovens--Combustion) (Heat--Transmission)

ACC NR: AT7002159

SOURCE CODE: UR/0000/66/000/000/0097/0102

AUTHOR: Virozub, I. Ye; Turtushkin, N. A.

ORG: Institute of Technical Thermophysics AN UkrSSR (Institut tekhnicheskoy teplofiziki AN UkrSSR)

TITLE: Aerodynamic losses due to the pipe branches in the air cooler of the GTU-25-700 gas turbine installation

SOURCE: AN UkrSSR. Termodynamika teplovykh dvigateley (Thermodynamics of heat engines). Kiev, Izd-vo Naukova dumka, 1966, 97-102

TOPIC TAGS: aerodynamic design, gas turbine, turbine compressor

ABSTRACT: Full-scale tests of the GTU-25-700 gas turbine installation in operation at the Kiev Heat and Electric Power Plant No. 2 show that considerable losses of pressure take place in the pipe branches of the air cooler between the high- and low-pressure compressors. It is shown that the aerodynamic losses in these elements may be considerably reduced by changes in design. A model of the existing air cooler is shown in Figure 1 with the improved model shown in Figure 2. The difference between the maximum and minimum static pressures in the second model is less than 200 mm water gauge, while the corresponding figure for the first model reaches 570 mm. While this factor certainly affects the operation of the cooler, the reduction in aerodynamic

Card 1/3

ACC NR: AT7002159




Fig. 1




Fig. 2

Cord 2/3

ACC NR: AT'002159

losses alone results in an increase in the power of the installation. Estimates show that the power may be increased by design modifications of this type by approximately 300-400 kw. Orig. art. has: 3 figures, 2 tables.

SUB CODE: 13, 20/ SUBM DATE: 27Jul66

Card 3/3

SOV/81-59-13-46027


Translation from: Referativnyy zhurnal. Khimiya, 1959, Nr 13, p 253 (USSR)

AUTHOR: Virozub, I.Ye.

TITLE: An Approximate Method for Calculating the Fields of Velocity and Temperatures in the Passing of a Laminar Flow of a Compressible Liquid, With Heat Exchange Around a Profile

PERIODICAL: Sb. tr. In-t teploenerg. AN UkrSSR, 1958, Nr 14, pp 108 - 116

ABSTRACT: The article has not been reviewed.



Card 1/1

VIROZUB, Ivan Yemel'yanovich; YEREMENKO, Aleksandra Semenovna;
KHAZANET, S.M., red. ~~isd~~-va; BEREZOVSKAYA, D.N., tekhn.
red.

[Jet engines] Reaktivnye dvigateli. Kiev, Izd-vo AN Ukr.SSE,
1963. 80 p. (MIRZ 16:11)

(Jet propulsion)
(Space vehicles—Propulsion systems)

PHASE I BOOK EXPLOITATION

SOV/6059

Yeremenko, Aleksandra Semenovna, Ivan Yemel'yanovich Virozub, Yuriy Pavlovich Gorbatyy, Ivan Lazarevich Mironenko, and Anna Petrovna Fedosenko

Metody eksperimental'nogo issledovaniya aerodinamiki osevykh turbomashin (Methods for the Experimental Investigation of the Aerodynamics of Axial Turbomachines). Kiev, Izd-vo AN UkrSSR, 1961. 129 p. 2550 copies printed.

Sponsoring Agency: Akademiya nauk Ukrainskoy SSR. Institut teploenergetiki.

Ed. of Publishing House: N. M. Titova; Tech. Ed.: T. R. Liberman.

PURPOSE: This book is intended for technical personnel of scientific research institutes and plant laboratories concerned with problems of aerodynamic investigations of the components of the turbine flow-passage area.

COVERAGE: The book deals with some problems of the method of aerodynamic investigation of parts of steam and gas turbines, measuring technique, and the

Card 1/2 2

Methods for the Experimental Investigation (Cont.)

SOV/6059

building of experimental models. It describes various types of instruments for measuring the parameters of two- and three-dimensional flows, methods of making and calibrating these instruments and also the manufacturing technology of model turbine blades. It describes also the most frequently used stands for investigating turbine blade cascades in stationary conditions and in motion. Candidate of Technical Sciences V. I. Pechuk assisted in the preparation of the first draft of the manuscript. The authors thank Ye. P. Dyban for his valuable remarks. There are 41 references: 39 Soviet, 1 English, and 1 French.

TABLE OF CONTENTS:

Foreword	3
Ch. I. Flow Modeling in a Turbine Stage	
1. On the similitude of phenomena	5
2. Criteria of similitude	6

Card 2/2

YEREMENKO, Aleksandr Semenovna; VIROZUB, Ivan Yemel'yanovich; GORBATYY, Yuriy Pavlovich; MIRONENKO, Ivan Lazarevich; FEDOSENKO, Anna Petrovna; DIBAN, Ye.P., kand. tekhn. nauk, retsenzent; TITOVA, N.M., red. izd-va; LIEBMAN, T.R., tekhn. red.

[Experimental investigation of the aerodynamics of axial-flow turbomachines] Metody eksperimental'nogo issledovaniia aerodinamiki osevykh turbomashin. Kiev, Izd-vo Akad. nauk USSR, 1961. 129 p. (MIRA 15:5)

(Turbomachines--Aerodynamics)

YEREMENKO, A.S.[Ieremenko, O.S.]; GORBATYY, Yu.P.[Horbati, IU.P.];
VIROZUB, I.Ye.[Virozub, I.O.]

Radial equilibrium in the rotor of a turbine. Zbir. prats'
Inst. tepl. AN URSR no.22:55-59 '61. (MIRA 16:6)

(Turbines)

VIROZUB, I.Ye. [Virozub, I.O.]; GORBATYY, Yu.P. [Horbatiy, IU.P.]; YEREMENKO, A.S.
[Ieremenko, O.S.]; FEDOSENKO, A.P. [Fedosenko, H.P.]

Some results of the study of a circular lattice. Zbir. prats' Inst.
tepl. AN URSS no.24:86-90 '62. (MIRA 16:3)
(Turbines)

VIROZUB, I.Ye. [Virozub, I.O.]; GORBATYY, Yu.P. [Horbatiy, IU.P.]; YEREMENKO, A.S.
[IYerenenko, O.S.]; FEDOSENKO, A.P. [Fedosenko, H.P.]

Aerodynamic studies of a turbine stage with relatively short blades
and variable modes of operation. Zbir. prats' Inst. tepl. AN URSS
no.24:91-97 '62. (MIKA 16:3)
(Turbines) (Fluid dynamics)

YEREMENKO, A.S. [I Eremento, O.S.]; VIROZUB, I.Ye. [Virozub, I.O.]

Radial equilibrium in a turbine stage, and the hypothesis of
cylindrical sections. Dop. AN URSS no.3:379-383 '62. (MIRA 15:5)

1. Institut teploenergetiki AN USSR. Predstavleno akademikom
AN USSR I.T.Shvetsom [Shvets', I.T.].
(Turbines) (Heat engineering)

S/096/62/000/006/010/011
E032/E314

26.2/10

AUTHORS: Virozub, I.Ye., Engineer and Dorfmann, A.Sh.,
Candidate of Technical Sciences

TITLE: On the optimum form of a diffuser

PERIODICAL: Teploenergetika, no. 6, 1962, 88 - 91

TEXT: The authors are concerned with an axially symmetric diffuser of given length and degree of divergence. The diffuser is assumed to have curvilinear generators and therefore the problem is more general than that discussed by other workers so far. It is shown that the optimum form may be reduced to the determination of a curve $R = R(x)$ which is such that the integral

$$\zeta = 4 \int_0^L \varphi(R') R' \frac{R^2 - 1}{R^5} dx \quad (6)$$

is a minimum, where R is the radius of the diffuser at a distance x along the axis, $R' = dR/dx$ and φ is a function describing the ratio of losses due to divergence to losses due

Card 1/2

S/096/62/000/006/010/011

On the optimum form of a diffuser EC52/E314

to impact. It is shown that this variational problem does not have a solution for which $R(x)$ is a differentiable curve. It is therefore concluded that the profile of the diffuser with a minimum loss is not a smooth curve but contains two discontinuous changes in the cross-sectional area: one at the entrance and one at the exit. Explicit formulae are derived for the shape of the profile. They are found to be in qualitative agreement with published experimental data for plane diffusers. It is pointed out in conclusion that although frictional effects are neglected in this analysis, they should have little effect on the final formulae. There are 8 figures. c

ASSOCIATION: Institut teploenergetiki AN UkrSSR
 (Institute of Heat Engineering, AS UkrSSR)

Card 2/2

VIROZUB, I.YE. [Virozub, I.O.]; GORBATYY, Yu.P. [Horbatyi, IU.P.];
YEREMENKO, A.S. [I Ere men ko, O.S.]

Determining the characteristics of turbine lattices. Zbir. prats'
Inst. tepl. AN URSR no. 20:28-35 '60. (MIRA 14:4)
(Turbines—Aerodynamics)

VIROZUB, I.Ye.

Approximate method for calculating the velocity and temperature fields during the flow of a laminar compressible liquid around a profile in connection with heat exchange. Trudy Inst. tepl. AN URSS no.14:108-116 '58. (MIRA 12:4)
(Boundary layer) (Heat—Transmission)

117 AND 2ND EDITIONS

PROCESSES AND PROPERTIES INDEX

21

M

*Method of Determining the Machinability of Metals. I. A. Oling and P. H. Varnley (Zavod. Lab., 1949, 9, 1023-1026; *Chem. Zvesti.*, 1949, 113, (1), 261; *C. Abs.*, 1949, 27, 3370). [In Russian.] A device for testing the machinability of iron, steel, and non-ferrous metals is described. The instrument is easy to operate, and the effect of structural inhomogeneities is eliminated by the use of small specimens. The machining mechanism, and the effects of structure and tool dimensions, can be studied. The instrument permits the determination of cutting indexes at room and elevated temperatures, and the measurement of the tool temperature. The cutting indexes at a speed of 0.4 m./minute have been determined for cast iron, steel, alloy steels, brass, and bronze.

ASTM - SAE METALLURGICAL LITERATURE CLASSIFICATION

1949-1950

1951-1952

1953-1954

1955-1956

1957-1958

1959-1960

1961-1962

1963-1964

1965-1966

1967-1968

1969-1970

1971-1972

1973-1974

1975-1976

1977-1978

1979-1980

1981-1982

1983-1984

1985-1986

1987-1988

1989-1990

1991-1992

1993-1994

1995-1996

1997-1998

1999-2000

2001-2002

2003-2004

2005-2006

2007-2008

2009-2010

2011-2012

2013-2014

2015-2016

2017-2018

2019-2020

2021-2022

2023-2024

2025-2026

2027-2028

2029-2030

2031-2032

2033-2034

2035-2036

2037-2038

2039-2040

2041-2042

2043-2044

2045-2046

2047-2048

2049-2050

2051-2052

2053-2054

2055-2056

2057-2058

2059-2060

2061-2062

2063-2064

2065-2066

2067-2068

2069-2070

2071-2072

2073-2074

2075-2076

2077-2078

2079-2080

2081-2082

2083-2084

2085-2086

2087-2088

2089-2090

2091-2092

2093-2094

2095-2096

2097-2098

2099-2100

2101-2102

2103-2104

2105-2106

2107-2108

2109-2110

2111-2112

2113-2114

2115-2116

2117-2118

2119-2120

2121-2122

2123-2124

2125-2126

2127-2128

2129-2130

2131-2132

2133-2134

2135-2136

2137-2138

2139-2140

2141-2142

2143-2144

2145-2146

2147-2148

2149-2150

2151-2152

2153-2154

2155-2156

2157-2158

2159-2160

2161-2162

2163-2164

2165-2166

2167-2168

2169-2170

2171-2172

2173-2174

2175-2176

2177-2178

2179-2180

2181-2182

2183-2184

2185-2186

2187-2188

2189-2190

2191-2192

2193-2194

2195-2196

2197-2198

2199-2200

2201-2202

2203-2204

2205-2206

2207-2208

2209-2210

2211-2212

2213-2214

2215-2216

2217-2218

2219-2220

2221-2222

2223-2224

2225-2226

2227-2228

2229-2230

2231-2232

2233-2234

2235-2236

2237-2238

2239-2240

2241-2242

2243-2244

2245-2246

2247-2248

2249-2250

2251-2252

2253-2254

2255-2256

2257-2258

2259-2260

2261-2262

2263-2264

2265-2266

2267-2268

2269-2270

2271-2272

2273-2274

2275-2276

2277-2278

2279-2280

2281-2282

2283-2284

2285-2286

2287-2288

2289-2290

2291-2292

2293-2294

2295-2296

2297-2298

2299-2300

2301-2302

2303-2304

2305-2306

2307-2308

2309-2310

2311-2312

2313-2314

2315-2316

2317-2318

2319-2320

2321-2322

2323-2324

2325-2326

2327-2328

2329-2330

2331-2332

2333-2334

2335-2336

2337-2338

2339-2340

2341-2342

2343-2344

2345-2346

2347-2348

2349-2350

2351-2352

2353-2354

2355-2356

2357-2358

2359-2360

2361-2362

2363-2364

2365-2366

2367-2368

2369-2370

2371-2372

2373-2374

2375-2376

2377-2378

2379-2380

2381-2382

2383-2384

2385-2386

2387-2388

2389-2390

2391-2392

2393-2394

2395-2396

2397-2398

2399-2400

2401-2402

2403-2404

2405-2406

2407-2408

2409-2410

2411-2412

2413-2414

2415-2416

2417-2418

2419-2420

2421-2422

2423-2424

2425-2426

2427-2428

2429-2430

2431-2432

2433-2434

2435-2436

2437-2438

2439-2440

2441-2442

2443-2444

2445-2446

2447-2448

2449-2450

2451-2452

2453-2454

2455-2456

2457-2458

2459-2460

2461-2462

2463-2464

2465-2466

2467-2468

2469-2470

2471-2472

2473-2474

2475-2476

2477-2478

2479-2480

2481-2482

2483-2484

2485-2486

2487-2488

2489-2490

2491-2492

2493-2494

2495-2496

2497-2498

2499-2500

2501-2502

2503-2504

2505-2506

2507-2508

2509-2510

2511-2512

2513-2514

2515-2516

2517-2518

2519-2520

2521-2522

2523-2524

2525-2526

2527-2528

2529-2530

2531-2532

2533-2534

2535-2536

2537-2538

2539-2540

2541-2542

2543-2544

2545-2546

2547-2548

2549-2550

2551-2552

2553-2554

2555-2556

2557-2558

2559-2560

2561-2562

2563-2564

2565-2566

2567-2568

2569-2570

2571-2572

2573-2574

2575-2576

2577-2578

2579-2580

2581-2582

2583-2584

2585-2586

2587-2588

2589-2590

2591-2592

2593-2594

2595-2596

2597-2598

2599-2600

2601-2602

2603-2604

2605-2606

2607-2608

2609-2610

2611-2612

2613-2614

2615-2616

2617-2618

2619-2620

2621-2622

2623-2624

2625-2626

2627-2628

2629-2630

2631-2632

2633-2634

2635-2636

2637-2638

2639-2640

2641-2642

2643-2644

2645-2646

2647-2648

2649-2650

2651-2652

2653-2654

2655-2656

2657-2658

2659-2660

2661-2662

2663-2664

2665-2666

2667-2668

2669-2670

2671-2672

2673-2674

2675-2676

2677-2678

2679-2680

2681-2682

2683-2684

2685-2686

2687-2688

2689-2690

2691-2692

2693-2694

2695-2696

2697-2698

2699-2700

2701-2702

2703-2704

2705-2706

2707-2708

2709-2710

2711-2712

2713-2714

2715-2716

2717-2718

2719-2720

2721-2722

2723-2724

2725-2726

2727-2728

2729-2730

2731-2732

2733-2734

2735-2736

2737-2738

2739-2740

2741-2742

2743-2744

2745-2746

2747-2748

2749-2750

2751-2752

2753-2754

2755-2756

2757-2758

2759-2760

2761-2762

2763-2764

2765-2766

2767-2768

2769-2770

2771-2772

2773-2774

2775-2776

2777-2778

2779-2780

2781-2782

2783-2784

2785-2786

2787-2788

2789-2790

2791-2792

2793-2794

2795-2796

2797-2798

2799-2800

2801-2802

2803-2804

2805-2806

2807-2808

2809-2810

2811-2812

2813-2814

2815-2816

2817-2818

2819-2820

2821-2822

2823-2824

2825-2826

2827-2828

2829-2830

2831-2832

2833-2834

2835-2836

2837-2838

2839-2840

2841-2842

2843-2844

2845-2846

2847-2848

2849-2850

2851-2852

2853-2854

2855-2856

2857-2858

2859-2860

2861-2862

2863-2864

2865-2866

2867-2868

2869-2870

2871-2872

2873-2874

2875-2876

2877-2878

2879-2880

2881-2882

2883-2884

2885-2886

2887-2888

2889-2890

2891-2892

2893-2894

2895-2896

2897-2898

2899-2900

2901-2902

2903-2904

2905-2906

2907-2908

2909-2910

2911-2912

2913-2914

2915-2916

2917-2918

2919-2920

2921-2922

2923-2924

2925-2926

2927-2928

2929-2930

2931-2932

2933-2934

2935-2936

2937-2938

2939-2940

2941-2942

2943-2944

2945-2946

2947-2948

2949-2950

2951-2952

2953-2954

2955-2956

2957-2958

2959-2960

2961-2962

2963-2964

2965-2966

2967-2968

2969-2970

2971-2972

2973-2974

2975-2976

2977-2978

2979-2980

2981-2982

2983-2984

2985-2986

2987-2988

2989-2990

2991-2992

2993-2994

2995-2996

2997-2998

2999-3000

VIROBYANTS, K.A.
VIROBYANTS, R.A.

Classification of furnace black. Kauch. 1 rez. 16 no.8:18-21 Ag '57.
(MIRA 10:11)

1. Izhemskiye sazhevyie zavody.
(Carbon black)

VIROZUB, I. Ye. [Virozub, I. O.]

Solutions of equations of a laminar boundary layer by generalization
of the Kochin-Loitsianskii method with heat exchange. Zbir.prats'
Inst.tepl. AN URST no.16:13-22 '59. (MIRA 13:10)
(Thermodynamics)

VIROZUB Ye.V.

ARONOV, Samuil Grigor'yevich; BAUTIN, Ivan Grigor'yevich; VOLKOVA, Zoya Andreyevna; VOLOSHIN, Arkhip Il'ich; VIROZUB, Yevgeniy Vladimirovich; GABAY, Lev Izrailevich, DIDENKO, Viktor Yefimovich; ZASHKVARA, Vasily Grigor'yevich; IVANOV, Pavel Aleksandrovich, KUSTOV, Boris Iosifovich [deceased]; KOTOV, Ivan Konstantinovich; KOTKIN, Aleksandr Matveevich; KOMANOVSKIY, Maksim Semenovich; LEYTES, Viktor Abramovich, MOROZ, Mikhail Yakovlevich; NIKOLAYEV, Dmitriy Dmitriyevich. OBUKHOVSKIY Yakov Mironovich; RODSHEYN, Pavel Moiseyevich; SAPOZHNIKOV, Yakov Yudovich, SENICHENKO, Sergey Yefimovich; TOPORKOV, Vasilii Yakovlevich; CHERMNYKH Mikhail Sergeyevich; CHERKASSKAYA, Esfir' Ionovna, SHVARTS, Semen Aronovich; SHERMAN, Mikhail Yakovlevich; SHVARTS, Grigoriy Aleksandrovich; LIBERMAN, S.S., redaktor izdatel'stva; ANDREYEV, S.P., tekhnicheskii redaktor

[Producing blast furnace coke of uniform quality; a collection of articles for the dissemination of advanced practices] Poluchenie domennogo koksa postoiannogo kachestva; sbornik statei po obmenu peredovym opytom. Khar'kov, Gos.nauchno-tekhn.izd-vo lit-ry po cherno i tsvetnoi metallurgii, 1956. 300 p. (MLRA 9:8)
(Coke industry)

MOSOLOV, N.N. [deceased]; VIHRILEP, P.R.

New technology of applying B-83 antifriction alloy to segments
of the bearing of hydrogenerators. Elektrosila no.14:93-94 '56.
(MIRA 12:12)

(Bearing (Machinery)) (Electric generators)

VIRSALADZE

USSR/Human and Animal Physiology - Internal Secretions.

R-8

Abs Jour : Referat Zhur - Biol., No 16, 1957, 70914

Author : Virsaladze

Inst :

Title : The Healing Action of Adiurecrine in Diabetic Insipidus
Urine-Exhaustion.

Orig Pub : Tr. Tbulissk. gos. med. in-ta, 1956, 9, 133-136

Abstract : No abstract.

Card 1/1

- 43 -

VIRSAŁADZ', K. S.

22663 Virsaladze, K. S., K Voprosu O Kardiospazme. Trudy (Tbilis. Gos.
Med. In-T) T. V, 1948, S. 125-32--NA Gruz. Yaz----Resyume Na. Rus. Yaz

So: Letopis', No. 30, 1949

VIRSALADZE, K.S.

22663. VIPSALADZE, K.S. K voprosu o kardiospazme. Trudy (tbilis. gos. med. in-t),
T. V, 1948 S. 125-32.- na gruz. yaz. - rezyume na rus. yaz.

SO: LETOPIS' No. 20, 1949

VIRSAIDZE, K.S.; MERELISHVILI, N.D.

Treatment of thyrotoxicosis patients with potassium perchlorate.
Soob. AN Gruz. SSR 32 no.3:695-699 p 163.

(MED 12:11)

VIGSALADZE, Ye. B.

"Gruzinskaya vesenniyaya khorovodnaya poeziya."

report submitted for 7th Intl Cong, Anthropological & Ethnological Sciences,
Moscow, 3-10 Aug 64.

VIRSHERT, G.G., inzh.

Increase in the reliability of front covers seals of TV-60-2
turbogenerators. Energetik 8 no. 12:18 D '60. (MIRA 13:12)
(Turbogenerators)

VIRSIK, F.

Design of stabilizers with a variator. El tech cas 15 no. 9:
568-572 '64.

VIRSIK, F.

A national conference on ferrites. El tech cas 13 no. 3:191 '62.

ORAVEC, Julius, inz., odborný asistent; VIRSIK, Felix, inz., odborný asistent

Pulse method for measuring the ionization time of thyatrons.
El tech cas 14 no.1:18-25 '63.

1. Katedra teoretickej a experimentalnej elektrotechniky,
Slovenská vysoká škola technická, Mytná 32/e, Bratislava.

VIRSIK, F.

GEOGRAPHY & GEOLOGY

Periodicals: KRASY SLOVENSKA. Vol. 35, No. 12, Dec. 1958.

VIRSIK, F. Our mountain climbers in the Caucasus Mountains. p. 468.

Monthly List of East European Accessions (EEAI) LC Vol. 8, No. 4, April 1959.
Unclass.

VIRSIK, F.

Graphic solution of the problem of Wheatstone bridge. Tr. from the German. p.251.(Strojno-elektrotechnicky Casopis. Bratislava. Vol. 7; no. 4, 1956.)

SO: Monthly List of East European Accessions (EEAL) LC., Vol. 6, no. 7, July 1957. Uncl.

VIRSIK, F.

Bridge for induction measuring, p. 199. (Strojnoelektrotechnicky Casopis. Bratislava, Vol. 4, No. 2, 1953)

SO: Monthly list of East European Accessions, (EEAL), LC Vol 4, No. 6, June 1955, Uncl

VIRSIK, F.

Semiconductor thyratrons. p. 193.

ELEKTROTECHNICKY CASOPIS. (Slovenska akademia vied) Bratislava, Czechoslovakia,
vol. 10, no. 3, 1959.

Monthly List of East European Accessions (EEAI), LC, Vol. 8, no. 11, Nov. 1959
Uncl.

Z/042/63/000/001/002/003
E140/E463

AUTHORS: Oravec Július and Virsik Felix, Engineers

TITLE: Pulse method for measuring thyatron ionization time

PERIODICAL: Elektrotechnický časopis, no.1, 1963, 18-25

TEXT: The method consists in applying a pulse of defined voltage levels and of varying duration to the thyatron grid (with thyatron d.c. anode voltage as a parameter). The ionization time is given by the shortest pulse which ignites the thyatron. For an experimental argon-filled thyatron, times of the order of 1 to 7 μ s were measured and compared with values calculated from a simplified theoretical model. Agreement within an order of magnitude was obtained. There are 7 figures.

ASSOCIATION: Katedra teoretickej a experimentálnej elektrotechniky
SVŠT, Mýtna 32/e, Bratislava (Department of
Theoretical and Experimental Electrical Engineering
SVŠT, Mýtna 32/e, Bratislava)

SUBMITTED: September 14, 1962

Card 1/1

28600

Z/042/61/000/008/001/004
E197/E335

9.7140 (also 1164)

AUTHORS: Benda, Oldrich and Virsik, Félix

TITLE: Dynamics of flux reversal in ferrite toroids with
a rectangular hysteresis loop

PERIODICAL: Elektrotechnický časopis, no. 8, 1961,
pp. 481 - 496

TEXT: The purpose of the article is the comparison of
dynamic characteristics of ferrite toroids, calculated under
two different assumptions with actual experiments. The ferrite
components under consideration are to be used in digital
computers as memory, logic and switching elements. The authors
consider a ferrite toroid as a nonlinear electrical element,
the dynamic characteristics of which are dependent on the method
of causing magnetic reversal and on previous magnetic history.
Reference is made to recent literature in which three models
were used by various workers to represent experimental results.
The authors believe that only two models are needed: in weak
fields a model based on the shift of the Bloch walls and in
strong fields - the rotation of magnetizing vectors will give

Card 1/4

Dynamics of flux reversal

²⁸⁵⁰⁰
Z/042/61/000/000/001/001
E197/E335

concordance with experiments. In both cases the dynamic characteristics were obtained from the basic equation of Landau-Lifschitz, assuming that the period of the magnetizing square wave impulses are longer than 9/10 of the time needed for complete magnetic reversal. The basic formula was treated in accordance with both models and the dynamic response derived. The experiments were carried out at the Institute of Technical Physics CSAV on ferrite $Mn_{0.556}$, $Mg_{0.608}$, $Fe_{1.845}$, O_4 the cross-section of the toroid being 0.266 cm^2 and the length 7.37 cm. The equipment used for measurement is the same as described previously by B.H. Zitka. (A generator for square-shaped current pulses - Cs.čas. fys., 1960, v.10, no.3, pp. 230-234 - Ref. 11). The results of the two calculations and that of the measurement are tabulated and the distribution function of the results obtained by measurement and by the two calculations are given in Fig. 9: experimental results - small circles; Curve 1 - Block wall shift; Curve 2 - vector rotation, vertical coordinate-distribution function, horizontal coordinate-relative induction.

Card 2/4

Dynamics of flux reversal

28600
Z/042/61/000/008/001/004
E197/E335

There are 9 figures, 2 tables and 15 references, 8 Soviet-bloc and 7 non-Soviet bloc. The four latest English-language references are: Ref. 2 - E.M. Gyorgy - Modified rotational model of flux reversal. J. Appl. Phys., 1958, XII, 29, No. 12, 1709-1712; Ref. 3 - W.L. Shevel - IBM J., 1959, I; Ref. 4 - E.M. Gyorgy - J. Appl. Phys., 1960, V, 31, No. 5 - Supplement - 110S - 117S; Ref. 13 - R.H. Tancrell, R.E. McMahon - J. Appl. Phys., 1960, V, 31, No. 5, 763-771.

ASSOCIATION: Katedra teoretickej a experimentálnej elektro-
techniky Slovenskej vysokej školy technickej
(Department of Theoretical and Experimental
Electrical Engineering, Slovak Technical University)

SUBMITTED: April 20, 1961

Card 3/4

✓

L 31092-66 EWT(1) IJP(c)

ACC NR: AP6022811

SOURCE CODE: CZ/0026/65/010/004/0321/0350

40
P

AUTHOR: Virsik, Juraj.

ORG: Department of Mathematics, CSAV, Bratislava (Kabinet matematiky CSAV)

TITLE: Holonomic constraint and equations of motion in Minkowskian mechanics

SOURCE: Aplikace matematiky, v. 10, no. 4, 1965, 321-350

TOPIC TAGS: motion equation, particle motion, calculus, motion mechanics

ABSTRACT: In this paper the motion of a particle on a manifold given by the equation $\omega(x,y,z,t) = 0$ (representing a holonomic constraint in Minkowskian space-time) is studied with the methods of tensor calculus. The study of the motion of several particles under further constraint meets with difficulties when one tries to introduce metrics into the phase space, and therefore the case of only one particle is considered. Orig. art. has: 73 formulas. [JPRS]

SUB CODE: 12, 20/ SUBM DATE: 05Feb64/ ORIG REF: 001/ SOV REF: 001/ OTH REF: 001

Card 1/1

dc

0915

079/11

L 38327-66 EWT(d) IJP(c)

ACC NR: AP6028001

SOURCE CODE: CZ/0045/66/000/001/0082/0090

AUTHOR: Virsik, Juraj (Bratislava)

ORG: Mathematics Institute, Slovak Academy of Sciences, Bratislava (Matematicky
ustav, Slovenska akademia vied)

TITLE: Representation of inertial particles in the Lie algebra of the Lorentz group

SOURCE: Matematicko-fyzikalny casopis, no. 1, 1966, 82-90

TOPIC TAGS: Lie group, vector analysis, homomorphism, particle physics, field theory

ABSTRACT: The explicit form of the Lie algebra $g(L)$ of the proper Lorentz group G^+ is derived and it is shown that the map $\pi \cdot \exp$ is a homomorphism (on the whole) of a certain linear subspace m of $g(l)$ onto the space of right cosets G^+/D . Since under the given conditions one can associate with each element of G^+/D an "inertial particle", this homomorphism generates a representation of inertial particles in $m \subset g(l)$. A physical interpretation of the analytic vector field on G^+ associated with an element of m is given. [Orig. art. in Eng.] [JPRS: 36,845]

SUB CODE: 12 / SUBM DATE: 27Jan65 / SOV REF: 001 / OTH REF: 001

Card 1/1

L 34590-66 ENT(d) IJP(c)

ACC NR:AP6025545

SOURCE CODE: CZ/0081/66/091/001/0018/0033

AUTHOR: Jelinek, Jiri--Yelinek, I. (Prague); Virsik, Juraj--Virsik, Yu. (Bratislava)

ORG: [Jelinek] Mathematics and Physics Faculty, Charles University, Prague
(Matematicko-fyzikalni fakulta KU); [Virsik] Department of Mathematics, SAV,
Bratislava (Kabinet matematiky SAV)

TITLE: Pseudo-unitary spaces

SOURCE: Casopis pro pestovani matematiky, v. 91, no. 1, 1966, 18-33

TOPIC TAGS: space geometry, topology, mathematic space

ABSTRACT: The article discusses linear spaces endowed with two or more topologies.
The "geometric" properties of pseudo-unitary spaces are investigated. Orig. art.
has: 8 formulas. [Orig. art. in Eng.] [JPRS: 35,386]

SUB CODE: 12 / SUBM DATE: 15Aug64 / SOV REF: 001 / OTH REF: 001

Card 1/1

VIRSIK, K.

Study of children of tubercular mothers in Bratislava Province,
Czechoslovakia. Vop.okh.mat. i det. 4 no.3:78-79 My-Je '59.
(MIRA 12:8)

(BRATISLAVA PROVINCE CZECHOSLOVAKIA--TUBERCULOSIS)

VIRSIK, K.

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: [not given]

Affiliation: Kraj TB Hospital (Krajská nemocnice tuberkulózy), Pod. Biskupice; Director;
K. VIRSIK, MD.

Source: Prague, Rozhledy v Tuberkulóze a v Nemocích Plicních, Vol XXI, No 6, July 61,
pp 476-482.

Data: "Pulmonary Tuberculosis Associated With Diabetes."

Authors: POZDECHOVA, E.

VIRSIK, K., MD

NEVICKY, D.,

[illegible]

VIRSIK, K., doc. dr.; POMDECHOVA, E., MUDr.

A critical view of the contemporary state of the fight against tuberculosis in Slovakia from the viewpoint of deficiencies in roentgenological and bacteriological mass screening. Cesk. zdrav. 13 no.9:439-443 S '65.

1. Krajska nemocnica tuberkulozy a chorob plucnych v Pod. Biskupiciach.

CZECHOSLOVAKIA

JEZERSKY, J; VIRSIK, K.

1. Clinic of Tuberculosis LFUK (Klinika tuberkulozy LFUK),
(for Jezersky); 2. Phthisiological Chair SUDL
(Ptizeologicka katedra SUDL), (for Virsik)

Bratislava, Lekarsky obzor, No 6, 1963, pp 339-342

"Adrenal Cortical Hormones and ACTH in the Treatment
of Tuberculosis."

VIRSIK, K.

SURNAME, Given Names

Country: Czechoslovakia

Academic Degrees: [not given]

Affiliation: Kraj TB Hospital (Krajska nemocnica tuberkulozy), Pod. Biskupice; Director:

K. VIRSIK, MD.

Sources: Prague, Rozhledy v Tuberkulóze av Nemocech Plicnich, Vol XXI, No 6, July 61, pp 476-482.

Data: "Pulmonary Tuberculosis Associated With Diabetes."

Authors: POZDECHOVA, E.

VIRSIK, K., MD

NEVICKY, D.,

50

VIRSIK, K.

VIRSIK K.

Lieoba tuberkulovy kyseliny paraaminosalicylovou. II. Oznámení: Lieoba specifického empyemu hrudníka. kys. P. A. S.
Treatment of tuberculosis with para-aminosalicylic acid;
Treatment of specific thoracic empyema with para-aminosalicylic acid/ Bratisl. lek. listy 31:1-2 1951 p. 132-6.

1. Of the Clinic of Tuberculosis of the Medical Faculty of Slovak University, Bratislava.

VIRSIK, K.

STUNDA, S.; VIRSIK, K.

Treatment of tuberculosis with paraaminosalicylic acid; effect
of paraaminosalicylic acid on the liver. Bratisl. lek. listy 31
no. 11-12:1098-1102 1951.
(CLML 23:1)

1. Of the Tuberculosis Clinic of Slovak University.